




THE BEGINNING OF REVOLUTION

ELEMENT
collection

 mekap

ITALIAN DESIGN
TURKISH MANUFACTURING



The passion for creating value, caring about people.

On the strength of these inspirations, we've been producing safety shoes since 1996 and currently reached 3 million pair production capacity.

On the other hand, as a first brand, which is used the PU injection system in Turkey, we try always to bring innovative solutions. It is our priority to keep our quality at the same level from beginning to end of production.

Safe step, strong you!





AIR FLEX



Meet the light-weight, eye-catching collection. It is AIR FLEX, breathable, and flexible for your free move.

Rover sole, aluminum toe-cap, and optional mid-sole protection. Choose your style: straps, quick lacing, or lacing. You just focus your work; we take care of your safety.





FRESH

S1/S1P SRC

S1 : E1000S
S1P : E1000P



S1 : E1002S
S1P : E1002P

S1 : E1001S
S1P : E1001P

UPPER

Breathable fabric

SOLE

Dual density PU/PU

TOE-CAP

Aluminum

MIDSOLE PROTECTION

Steel midsole (Optional for S1P)

SIZES
36-46

WEIGHT*
430 GRAM



NEON

S1/S1P SRC



S1 : E1003S
S1P: E1003P



S1 : E1004S
S1P: E1004P

UPPER

Breathable fabric

SOLE

Dual density PU/PU

TOE-CAP

Aluminum

MIDSOLE PROTECTION

Steel midsole (Optional for S1P)

SIZES

36-46

WEIGHT*

436 GRAM







FLOW

S1/S1P SRC

S1 : E1005S
S1P: E1005P

ALWAYS
COOL FEET



S1 : E1006S
S1P: E1006P

UPPER
Breathable fabric

SOLE
Dual density PU/PU

TOE-CAP
Aluminum

MIDSOLE PROTECTION
Steel midsole (Optional for S1P)

SIZES
36-46

WEIGHT*
452 GRAM



TOUGH

S2/S3 SRC



S1 : E1007S
S1P : E1007P

UPPER
Breathable fabric

SOLE
Dual density PU/PU

TOE-CAP
Aluminum

MIDSOLE PROTECTION
Steel midsole (Optional for S3)

SIZES
36-46

WEIGHT*
510 GRAM



“COMFORTABLE
DURABLE
HEALTHY.”







WING

S2/S3 SRC

S2: E1008S
S3: E1008P



S2: E1009S
S3: E1009P

UPPER

Natural nubuck

SOLE

Dual density PU/PU

TOE-CAP

Aluminum

MIDSOLE PROTECTION

Steel midsole (Optional for S3)

SIZES

36-46

WEIGHT*

444GRAM



ROVER^{SRC}

DUAL DENSITY PU/PU

“

Design lines of sole remind the air flow. You will agree safety shoe can flexible and providing free-move, after try ROVER. Feel free, feel at sky.

”



BLACK GROUND

“

Black Ground Collection was created for those who work in heavy industry. Premium leather combines with a rubber sole, which is powered by Vibram®.

Black Ground, so Your Safety-Your Work-Your Step and Your Sign.

”



POWERED BY 



S2: E2000S
S3: E2000P



S2: E2001S
S3: E2001P

UPPER

Full-grain leather

SOLE

Dual density PU/Rubber VIBRAM®

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

39-46

WEIGHT*

554 GRAM



UPPER

Full-grain leather

SOLE

Dual density PU/Rubber VIBRAM®

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

39-46

WEIGHT*

610 GRAM





ARROW

S2/S3 SRC

S2: E2002S
S3: E2002P

UPPER

Natural nubuck

SOLE

Dual density PU/Rubber VIBRAM®

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

39-46

WEIGHT*

528GRAM



ASPHALT

S2/S3 SRC

S2: E2003S
S3: E2003P

UPPER

Microfiber premium suede

SOLE

Dual density PU/Rubber VIBRAM®

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

39-46

WEIGHT*

528GRAM









MIST

S2/S3 SRC

S2: E2004S
S3: E2004P



S2: E2005S
S3: E2005P

UPPER

Natural nubuck

SOLE

Dual density PU/Rubber VIBRAM®

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

39-46

WEIGHT*

632 GRAM



OPT.



WILD

S2/S3 SRC

S2: E2006S
S3: E2006P

UPPER

Full-grain leather

SOLE

Dual density PU/Rubber VIBRAM®

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

39-46

WEIGHT*

640 GRAM



OPT.

GRIPPER

HRO
SRC

DUAL DENSITY PU/RUBBER

“

Polyurethane midsole, rubber outsole, which is powered by Vibram®. More grips on the surface. Resistant to the 300 degrees.

”



POWERED BY




STRONG SENSE

“

Long lasting materials, well-designed and metal-free features.

Believe your sense. Feel the power.

”



ASPHALT

S2/S3 SRC

S2: E3000S
S3: E3000P

UPPER
Microfiber premium suede
SOLE
Dual density PU/PU
TOE-CAP
Composite
MIDSOLE PROTECTION
Non-metallic midsole (Optional for S3)

SIZES
36-46 **WEIGHT***
500 GRAM



LEVEL

S1/S1P SRC

S1 : E3001S
S1P : E3001P

UPPER
Breathable fabric + leather
SOLE
Dual density PU/PU
TOE-CAP
Composite
MIDSOLE PROTECTION
Non-metallic midsole (Optional for S1P)

SIZES
36-46 **WEIGHT***
518 GRAM





CRYSTAL

S2/S3 SRC

S2: E3002S
S3: E3002P

UPPER

Full-grain leather

SOLE

Dual density PU/PU

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

36-46

WEIGHT*

538GRAM



OPT.



VISION

S2/S3 SRC

S2: E3003S
S3: E3003P

UPPER

Natural nubuck + microfiber

SOLE

Dual density PU/PU

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

36-46

WEIGHT*

568GRAM



OPT.



S1 : E3004S
S1P : E3004P



S1 : E3005S
S1P : E3005P

UPPER

Breathable fabric + leather

SOLE

Dual density PU/PU

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3P)

SIZES

36-46

WEIGHT*

490 GRAM



OPT.





MIST

S2/S3 SRC

S2: E3006S
S3: E3006P



S2: E3007S
S3: E3007P

UPPER

Natural nubuck

SOLE

Dual density PU/PU

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

36-46

WEIGHT*

560 GRAM



ALPHA

S2/S3 SRC

S2: E3008S
S3: E3008P

UPPER

Full-grain leather

SOLE

Dual density PU/PU

TOE-CAP

Composite

MIDSOLE PROTECTION

Non-metallic midsole (Optional for S3)

SIZES

36-46

WEIGHT*

552 GRAM



GRIPPER^{SRC}

DUAL DENSITY PU/PU

“ Dual-density polyurethane. More grips on the surface.
Wide external blocks on a different height for better
safety as slip resistance and easily clean.

”







MAKİNE 3

ACTIVE ATHLETIC

“

Impressing style. The design element puts you on stage. Wide-range colorful options change the vibe of your work environment.

Work not hard; work safely.

”



S1 : E4000S
S1P : E4000P

UPPER

Suede

SOLE

Dual density PU/PU

TOE-CAP

Steel

MIDSOLE PROTECTION

Steel midsole (Optional for S1P)

SIZES

36-48

WEIGHT*

538GRAM



S2: E4001S
S3: E4001P

UPPER

Leather

SOLE

Dual density PU/PU

TOE-CAP

Steel

MIDSOLE PROTECTION

Steel midsole (Optional for S3)

SIZES

36-48

WEIGHT*

524GRAM





STAGE

S1/S1P SRC

S1 : E4002S
S1P: E4002P



S1 : E4003S
S1P: E4003P

UPPER

Suede

SOLE

Dual density PU/PU

TOE-CAP

Steel

MIDSOLE PROTECTION

Steel midsole (Optional for S1P)

SIZES

36-48

WEIGHT*

554GRAM





ONYX

S1/S1P SRC

S1 : E4004S
S1P : E4004P

UPPER

Breathable fabric + suede

SOLE

Dual density PU/PU

TOE-CAP

Steel

MIDSOLE PROTECTION

Steel midsole (Optional for S1P)

SIZES

36-48

WEIGHT*

536 GRAM



ONYX TOP

S2/S3 SRC

S2: E4005S
S3: E4005P

UPPER

Leather

SOLE

Dual density PU/PU

TOE-CAP

Steel

MIDSOLE PROTECTION

Steel midsole (Optional for S3)

SIZES

36-48

WEIGHT*

586 GRAM





MAGMA

S1/S1P SRC

S1 : E4006S
S1P: E4006P

UPPER

Breathable fabric + suede

SOLE

Dual density PU/PU

TOE-CAP

Steel

MIDSOLE PROTECTION

Steel midsole (Optional for S1P)

SIZES

36-48

WEIGHT*

540 GRAM



OPTIONAL



MAGMA TOP

S2/S3 SRC

S2: E4007S
S3: E4007P

UPPER

Leather

SOLE

Dual density PU/PU

TOE-CAP

Steel

MIDSOLE PROTECTION

Steel midsole (Optional for S3)

SIZES

36-48

WEIGHT*

560 GRAM



OPTIONAL





ACTIVE CASUAL

“

Black is always a good idea. Only with two options: “Space,” “Ship,” you will reach the comfort.

Work not hard; work safely.

”



SPACE

S2/S3 SRC

S2: E4008S
S3: E4008P

UPPER
Microfiber premium suede

SOLE
Dual density PU/PU

TOE-CAP
Steel

MIDSOLE PROTECTION
Steel midsole (Optional for S3)

SIZES **36-46** WEIGHT* **534**GRAM



SHIP

S2/S3 SRC

S2: E4009S
S3: E4009P

UPPER
Microfiber premium suede

SOLE
Dual density PU/PU

TOE-CAP
Steel

MIDSOLE PROTECTION
Steel midsole (Optional for S3)

SIZES **36-46** WEIGHT* **554**GRAM





SEGURA

SRC

DUAL DENSITY PU/PU

“

More security, more safety. Arrow design in the opposite direction. Slip resistance is well.

”



HIGH BASIC

“

Less is more. Minimal but meets the requirements. Timeless classic lines.
It is your choice: steel or composite toe-cap.

”



155 S2/S3 SRC

S2: E5000S
S3: E5000P

S2: E5001S
S3: E5001P



UPPER

Microfiber premium leather

SOLE

Dual density PU/PU

TOE-CAP

Steel or composite

MIDSOLE PROTECTION

Steel or non-metallic midsole (Optional for S3)

SIZES

36-46

WEIGHT*

498 GRAM



023 S2/S3 SRC

S2: E5002S
S3: E5002P

S2: E5003S
S3: E5003P



UPPER

Split barton leather

SOLE

Dual density PU/PU

TOE-CAP

Steel or composite

MIDSOLE PROTECTION

Steel or non-metallic midsole (Optional for S3)

SIZES

36-46

WEIGHT*

626 GRAM







157

S1/S1P SRC

S1 : E5004S
S1P: E5004P

S1 : E5005S
S1P: E5005P



S1 : E5006S
S1P: E5006P

S1 : E5007S
S1P: E5007P



UPPER

Microfiber premium suede

SOLE

Dual density PU/PU

TOE-CAP

Steel or composite

MIDSOLE PROTECTION

Steel or non-metallic midsole (Optional for S1P)

SIZES

36-46

WEIGHT*

482 GRAM



106

S2/S3 SRC



S2: E5008S
S3: E5008P

S2: E5009S
S3: E5009P



S2: E5010S
S3: E5010P

S2: E5011S
S3: E5011P



UPPER

Split barton leather

SOLE

Dual density PU/PU

TOE-CAP

Steel or composite

MIDSOLE PROTECTION

Steel or non-metallic midsole (Optional for S3)

SIZES

36-46

WEIGHT*

528 GRAM



JUPITER^{SRC}

DUAL DENSITY PU/PU

“

Center blocks show directions to liquids. Easily cleaning means a self-cleaning structure. The supporting area is for reinforcement.

”





Turkey
Discover the potential

mekap pro-safety

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy

mekap pro-safety
Turkey

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy
Turkey

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy
Turkey

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy
Turkey

mekap pro-safety
Turkey

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy
Turkey

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy
Turkey

mekap pro-safety
Turkey

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy

mekap pro-safety
Ruhun Sağdır, Sağdır
Comfortable, Durable, Healthy

gripper
ProQuality
STAND STRONG

gripper
ProQuality

mekap pro-safety



SAFE STEP
STRONG YOU

BLACK & WHITE

“

Opposite color, reflection right combination. Which is your style: Dark or light? Breathable upper is suitable for your indoor working environment.

Be master on your work with safety.

”

MASTER

S2/S3 SRC



S2: E1010S
S3: E1010P

S2: E1011S
S3: E1011P



UPPER
Microfiber premium leather
SOLE
Dual density PU/PU
TOE-CAP
Steel or no toe-cap
MIDSOLE PROTECTION
Steel midsole (Optional for S3)

SIZES **36-46** WEIGHT* **428**GRAM



GORDON

S2/S3 SRC



S2: E1012S
S3: E1012P

S2: E1013S
S3: E1013P



UPPER
Microfiber premium leather
SOLE
Dual density PU/PU
TOE-CAP
Steel or no toe-cap
MIDSOLE PROTECTION
Steel midsole (Optional for S3)

SIZES **36-46** WEIGHT* **420**GRAM



CRAFT

S2/S3 SRC



S2: E1014S
S3: E1014P

S2: E1015S
S3: E1015P



UPPER

Microfiber premium leather

SOLE

Dual density PU/PU

TOE-CAP

Steel or no toe-cap

MIDSOLE PROTECTION

Steel midsole (Optional for S3)

SIZES

36-46

WEIGHT*

436 GRAM



OPTIONAL



CREW

S1/S1P SRC



S1 : E1016S
S1P: E1016P

S1 : E1017S
S1P: E1017P



UPPER

Microfiber premium leather

SOLE

Dual density PU/PU

TOE-CAP

Steel or no toe-cap

MIDSOLE PROTECTION

Steel midsole (Optional for S1P)

SIZES

36-46

WEIGHT*

416 GRAM



OPTIONAL





ABOUT US

HISTORY

Mekap is established in **1972** as a **first Turkish sport shoe brand** and also used the PU injection production system first time in Turkey.

Focused on **safety shoes** after 1996 and currently **one of the leading** safety shoe manufacturers in the world.

NUMBERS

3 million pair production capacity with **8 new generation** injection machines, **over 500** experienced employees.

FACILITY

Production, design, marketing and test center facilities are located in a building of over **18.000 m²**.

INNOVATION

Researching what we can do for **better safety** and working on different projects to bring **innovative solutions**.

QUALITY

Using premium materials from European suppliers and collaborate with brands such as **Vibram[®]**, **Hunstman[®]**, **BASF[®]** and **Moron[®]**.

Monitoring each phase of the shoe producing process and **testing** the shoe for reaching high quality.

“The world-first access control system which runs with safety shoe.”





Do you know life of your shoe?

YOU WILL KNOW!

innovationforbettersafety



▶ Introduction Movie

thefreshoe.com

KAYNAK İŞ GÜVENLİK TALİMATI

1. Tekerleği döndürme eğilimi ile çalıştırılmamalıdır.
2. Tekerleğin hareket etmesi için çalıştırılmadan önce çalıştırma düğmesine basarak hareket ettirilmelidir.
3. Çalıştırma düğmesine basmadan önce çalıştırma düğmesine basarak çalıştırılmamalıdır.
4. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
5. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
6. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
7. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
8. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
9. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
10. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
11. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
12. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
13. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
14. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
15. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
16. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
17. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
18. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
19. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.
20. Kaynak makinesi çalışırken çalıştırma düğmesine basılmamalıdır.

**ÖNCE
İŞ GÜVENLİĞİ
ACELE ETME**


**KAYNAK MASKESİ
KULLAN**


**KAYNAKTA
DERİ ÖNLÜKSÜZ
ÇALIŞMA**

CE Label Information

A shoe that bears the sign CE, has passed the mandatory tests relating to the EN ISO 20344 standart and has been produced of highperformance material.

EN ISO 20345:2011

SB : Basic requirements

S1 : A+SB+E

S1P: A+SB+E+P

S2 : A+SB+E+WRU

S3 : A+SB+E+WRU+P

EN ISO 20347:2012

OB : Basic requirements

O1 : A+OB+E

O1P: A+OB+E+P

O2 : A+OB+E+WRU

O3 : A+OB+E+WRU+P

ALL RIGHTS RESERVED

No part of this catalogue can be copied, saved to archives or sent in any way or by any means, without written authorisation from Mekap.



TC Toe-cap (Resistant 200 Joule)



A
Anti-static footwear



E
Shock absorption in the heel area



FO
Sole resistant to oil and hydrocarbons



WRU
Water-resistant upper



P
Anti-perforation protection



HRO
Heat resistant up to 300 °C



EL Electrician footwear



ESD
Electrostatic dischargers

SRA

Slip-resistant ceramic + detergent

SRB

Slip-resistant steel + glycerine

SRC

SRA + SRB



 **mekap**
innovation for better safety

 contact@mekap.com

 mekap.com

